



INDEX MAPS.

T. 37 N. R. 1 E. 2.^d Mer. Ind.^a



T. 38 N. R. 1 E. 2.nd Mer. Ind.^a



The figures on the lines refer to the page.

Township N. 38. North of Range N. 1. East 3rd Mer. Indiana. 373

South Boundary

East On South Boundary of Sec. 31. ~~Sec. 31. & 32.~~ by duration.
 40. 00 Set a 9th Sec post in Prairie and Raised a Mound.
 54. 00 Leave Prairie
 63. 04 A Hickory 14 in. diam.
 77. 00 Enter Prairie.
 80. 00 Set a Post Cor. to Sec. 31. & 32. in Prairie. from which a
 W. Oak 24 in. diam. bears N. 67. W. 3. 14 links dist. & a
 W. Oak 18. " " " S. 47. W. 2. 14 " "
 Land 1st rate. &c.

East On South Boundary of Sec. 32.
 4. 00 Leave the Prairie.
 28. 21. A Hickory 12 in. diam.
 40. 00 Set a 7th Sec post from which a
 Hickory 5 in. diam. bears N. 63. W. 27. links dist. & a
 Do. 12. " " " N. 73. E. 22. " "
 55. 84. A Buck 18 in. diam.
 70. 37. A Sugar. 9. " "
 80. 00 Set a Post Cor. to Sec. 32. & 33. from which a
 Hickory 8 in. diam. bears N. 60. W. 149. links dist. & a
 Burr Oak 145. " " " N. 40. E. 314. " "
 Land &c. same as before.

East On South Boundary of Sec. 33.
 20. 00 A W. Oak 18 in. diam.
 40. 00 Set a 7th Sec post. from which a
 Buck 10 in. diam. bears N. 43. W. 22. links dist. and a
 Do. 7. " " " N. 79. E. 30. " "
 50. 95. A W. Oak 10 in. diam.
 60. 00 Enter wet Prairie.
 80. 00 Set a Post Cor. to Sec. 33. & 34. in Prairie. from which a
 Burr Oak 8 in. diam. bears N. 17. E. 54. links dist. & a
 Do. " 12. " " " N. 17. E. 102. " "
 Land same wet & 2nd rate. Timber. Oak. Hickory. Buck. &c.
 Undergr^d Ironwood—

- East On South Boundary of Sec. 34.
 2. 00 Leave Prairie
 4. 15 A Burr Oak 12 in. diam.
 6. 00 Enter Swamp Prairie.
 9. 12 A Stream 8 links wide. Cor. S. E.
 12. 24 A Do 8. " " " N. E.
 15. 75 A Do 30. " " " S. E.
 29. 25 Leave the Prairie.
 39. 90 A W. Oak 33 in. diam.
 40. 00 Set a $\frac{1}{4}$ Sec. post. from which a
 W. Oak 33 in. diam. bears West 5 links dist.
 W Oak 30. " " " N. 33. E. 70. " "
 54. 57 A W. Oak 12 in. diam.
 75. 00 Enter Swamp Prairie.
 80. 00 Set a Post Cor. to Sec. 34 & 35. from which a
 Tamarac 12 in. diam. bears S. 72. W. 52 links dist. & a
 Maple 3. " " " N 53. E. 44. " "
 Land level & bet. Timber Maple. Undergth Willow.

-
- East On South Boundary of Sec. 35.
 3. 00 Leave S. Prairie.
 31. 80 A Hickory 10 in. diam.
 40. 00 Set a $\frac{1}{4}$ Sec. post. from which a
 B. Oak 15 in. diam. bears N. 64. W. 34 links dist. & a
 W. Oak 30. " " " N. 3. E. 20. " "
 59. 57 A W. Oak 10 in. diam.
 80. 00 Set a Post Cor. to Sec. 35 & 36. from which a
 W. Oak 14 in. diam. bears N. 80. W. 25 links dist. & a
 Burr Oak 30. " " " N. 85. E. 53. " "
 Land 3^d rate. Timber. Oak no Undergrowth.

-
- East On South Boundary of Sec. 36.
 400 Enter wet Prairie
 13. 45 A B. Oak 22 in. diam. Point of Timber.
 17. 00 A Stream 24 links wide Cor. South. and passed between
 two small Lakes. the Stream joining them.

- 40 00 Set a $\frac{1}{4}$ Sec. post from which a
B. Oak 24 in. diam. bears N. 79. W. 80. links dist. 8 a
W. Oak 14. " " " N. 29. E. 79. " "
45. 04. A W. Oak 14 in. diam.
71. 93. A W. Oak 20. " "
80. 00 Set a Post Cor. to Ranges 1. & 2. East. Sec. 186. & 186.
T. 38. N. from which a
W. Oak 18. in. diam. bears N. 50. W. 48. links dist. 8 a
W. Oak 12. " " " N. 78. E. 64. " "
Land &c. same as before.

East Boundary.

- North On East Boundary of Sec. 36. var. 5.50 E.
35. 63. A W. Oak 36 in. diam.
- 40 00 Set a $\frac{1}{4}$ Sec. post from which a
W. Oak 17 in. diam. bears S. 80. W. 52. links dist. 8 a
W. Oak 17. " " " N. 58. W. 60. " "
56. 74. A W. Oak 24. " "
79. 05. A B. Oak 22. " "
80. 00 Set a Post Cor. to Sec. 35. & 36. from which a
B. Oak 24 in. diam. bears S. 14. W. 58. links dist. 8 a
B. Oak 22. " " " N. 21. W. 10. " "
Land Broken & a. rate. Timber. Oak. No Undergrowth.

- North On East Boundary of Sec. 35.
24. 50 A Hickory 10 in. diam.
31. 90 A Trail Course S. W.
32. 75. A Burr Oak 20 in. diam.
40. 00 Set a $\frac{1}{4}$ Sec. post from which a
Burr Oak 16 in. diam. bears S. 24. W. 1. 29. links dist. 8 a
Do. Do 18. " " " N. 77. W. 40. " "
71. 09. A Hickory 10 in. diam.
- 80 00 Set a Post Cor. to Sec. 24. & 25. from which a
Hickory 10 in. diam. bears S. 42. W. 50. links dist. 8 a
W. Oak 14. " " " N. 31. W. 51. " "
Land & Timber same as last mile. May 15th 1829.

T. 38. N. R. 1. E. 2nd Mer. Indiana.

North On East Boundary of Sec. 24.
 4. 50 Enter Dry Prairie.
 40. 00 Set a 1/4 Sec. Post.
 40. 00 Leave Prairie
 80. 00 Set a Post Cor. to Sec. 13. & 24. from which a
 Burr Oak 18. in. diam. bears S. 47. W. 81. links dist. 8 a
 Do. Do. " " " N. 56. W. 72. " "
 Land Broken & 2nd rate. with scattering Oak Timber.

North On East Boundary of Sec. 13.
 24. 84. A Burr Oak 20. in. diam.
 40. 00 Set a 1/4 Sec. Post. from which a
 Burr Oak 6. in. diam. bears S. 43. W. 1. 81. links dist. 8 a
 Do. Do. 17. " " " N. 23. W. 1. 70. " "
 69. 90 A Hickory 18. in. diam.
 80. 00 Set a Post Cor. to Sec. 12. & 13. from which a
 Hickory 32. in. diam. bears S. 51. W. 2. 19. links dist. 8 a
 Do. 16. " " " N. 29. W. 1. 32. " "
 Land 1st rate. Burr Oak Timber. Land flat.

North On East Boundary of Sec. 12.
 37. 18 A Hickory 7. in. diam.
 40. 00 Set a 1/4 Sec. Post. from which a
 B. Oak 18. in. diam. bears S. 9. W. 62. links dist. 8 a
 Hickory 12. " " " N. 84. W. 1. 11. " "
 47. 37 Set Post on the North Boundary. from which a
 B. Oak 23. in. diam. bears S. 34. W. 45. links dist. 8 a
 Hickory 15. " " " S. 64. W. 30. " "
 From this Post East to the 25th mile. corner. The
 distance is 36. chains & 32. links.

West Boundary Sec. 5. 6. & 6.
 North On East Boundary of Sec. 36. T. 38. N. R. 1. W.
 40. 00 Set 1/4 Sec. Post & raised a Mound
 80. 00 Set Post Cor. to Sec. 25. & 36. & raised a Mound
 Land 1st rate dry Prairie

North On East Boundary of Sec. 25.
 14. 53. A Trail. Cor. East.
 40. 00 Set a $\frac{1}{4}$ Sec. post. and raised a Mound.
 80. 00 Set a Post Cor. to Sec. 24. & 25. & raised a Mound.
 Land to. Same as last mile

North On East Boundary of Sec. 24. T. 38. N. R. 1. W.
 28. 80. Chicago Road. S. W.
 31. 00 Scare Prairie.
 40. 00 Set a $\frac{1}{4}$ Sec. post from which a
 Burr Oak 14 in. diam. bears S. 55. W. 55 links dist. & a
 Do. Do 7. " " " N. 68. W. 41. " "
 51. 00 A Trail. Course N. E.
 88. 98. A Burr Oak 15 in. diam.
 67. 25. Enter an arm of the same Prairie.
 80. 00 Set a Post Cor. to Sec. 13. & 24. from which a
 Burr Oak 15 in. diam. bears N. 45. W. 3. 94 links dist. & a
 Do. Do 12. " " " N. 57. W. 4. 28. " "
 Land 1st rate. Timber Burr Oak. No Undergth.
 May 14th 1829.

North On East Boundary of Sec. 13. T. 38. N. R. 1. W.
 2. 84. Wagon Road. N. E.
 10. 00 Scare Prairie.
 36. 48. A Burr Oak 12 in. diam.
 40. 00 Set a $\frac{1}{4}$ Sec. post from which a
 Burr Oak 10 in. diam. bears S. 71. W. 15 links dist.
 Do. Do 11. " " " N. 60. E. 63. " "
 54. 85 A W. Oak 24 " "
 78. 30. A Hickory 22. " "
 80. 00 Set a Post Cor. to Sec. 12. & 13. from which a
 Lyrin 10 in. diam. bears S. 21. W. 44 links dist. and a
 Do. 13. " " " North 30. " "
 Land level & 1st rate. Timber Buck & Sugar.
 Undergth Lyrin. & Spruce.

T 38. N. B. 1. E. 2nd Mer. Indiana.

North On East Boundary of Sec. 12.
 10. 12. A Beech 14 in. diam.
 32. 65. A Lynn 20. " "
 110. 00 Set a $\frac{1}{4}$ Sec. post from which a
 Spanish Oak 10 in. diam. bears S. 31. W. 5 links dist.
 and a Beech 9. " " " N. 10 $\frac{1}{2}$ E. 4. " "
 44. 19 Intersect the Boundary line between Indiana and
 Michigan. and set a Post. from which a
 Lynn 30 in. diam. bears South 6 links dist. and a
 Ironwood 9. " " " N. 22. E. 22. " "
 From this Intersection to the corner of the 19th mile.
 is 36 chains and 83 links.
 Land &c. same as before.

Pursuant to a Contract. (dated Apr. 6th 1829) with
 and Instructions from Edward Tiffin. Surveyor General
 of the United States. I have laid out and surveyed
 the exterior Township lines in the State of Indiana.
 designated in said Contract, and I do hereby Certify
 that the foregoing are the Correct and Original Field-
 Notes of the lines which they purport to be, as parts
 of the said Contract.

Certified this 12th day of August. 1829.

David Willis
 Dep. Surveyor.

Subdivisions.

Commenced the subdivisions of This Town Aug. 9th 1829.

North Between Sec. 35. & 36.
 13. 00 Came to Lake. and set a Meander Post. from which
 a W. Oak 20 in. diam. bears S. 30 $\frac{1}{2}$ W. 254 links dist. Thence
 N. 62 $\frac{1}{2}$ W. 9. 00. 423. 7. 95.
 N. 32 $\frac{1}{2}$ W. 14. 00. 11. 87. 7. 42.
 N. 45 $\frac{1}{2}$ W. 14. 00. 2. 80. 2. 85.
 N. 2 $\frac{1}{2}$ W. 5. 00. 5. 00. 22.

N. 45 $\frac{1}{2}$ E. 2. 50. 1. 75. 1. 78.N. 23 $\frac{1}{2}$ E. 12. 00. 11. 00. 4. 78.N. 58 $\frac{1}{2}$ E. 2. 50. 1. 30. 2. 13.

N. 40. E. 7. 00. 4. 80. 5. 04.

To go East. 4. 71. links to the true line. Then
 South To Lake 8. 50. links, - Then again
 13⁰⁰ + 42. 81. - 8. 50. = 47. 31. links. Leave Lake.

40. 00 Set a $\frac{1}{4}$ Sec. post in Lake.

17. 31. Leave the Lake and set a Meander Post. from which a
 W. Oak 24. in. diam. bears N. 38. W. 2. 10. links dist. & a

72. 75. NW Oak 18. " "

80. 00 Set a Post Cor. to Sec. 25. 26. 35. & 36. from which a
 W. Oak 10. in. diam. bears S. 70. E. 29. links dist. & a
 W. Oak 11. " " " S. 41 $\frac{1}{4}$. W. 39. " "

Land Rolling and good Barrens. Timber. W. H. & B. Oak.
 Hickory. &c.

East On a Random between Sec. 25. & 36.

40. 00 Set a temp. $\frac{1}{4}$ Sec. post.

80. 38. Intersect the East Boundary 37. links North of the Post.
 Land very Rolling. Timber. & soil as before.

West Corrected between Sec. 25. & 26.

40. 18. Set a $\frac{1}{4}$ Sec. post as aver. dist. on the true line, from which
 a W. Oak 5. in. diam. bears S. 20. E. 87. links dist. & a
 W. Oak 6. " " " N. 1. W. 67. " "

80. 38. To Sec. Corner.

North Between Sec. 25. & 26.

0. 50. To Marshy Lake and set a Meander Post. from which a
 Sugar 24. in. diam. bears S. 15 $\frac{1}{2}$. W. 3. 15. links dist.

Course	Dist.	Lat	Dep.
--------	-------	-----	------

N. 79 W.	7. 00.	1. 34.	6. 87.
----------	--------	--------	--------

N. 24 $\frac{1}{2}$ E.	10. 50.	14. 56.	6. 64.
------------------------	---------	---------	--------

	11. 56.		
--	---------	--	--

22. 85. Leave Lake & set Meander Post: from which a Hickory 7. in. diam. bears N. 50. W. 41. 15. links dists. No other tree near.
35. 50. A Y. Oak 12. in. diam.
39. 50. Michigan and Indianapolis Road. Cor. W. First time I ever saw it.
40. 00 Set a 1/4 Sec post from which a W. Oak 24. in. diam. bears S. 19. W. 72. links dists and a W. Oak 12. " " " N. 44. W. 85. " "
50. 25. A Y. Oak 24. in. diam.
80. 00 Set a Post Cor. to Sec. 23. 24. 25. & 26. from which a Hickory 15. in. diam. bears N. 42. E. 44. links dists and a W. Oak 40. " " " N. 61. W. 95. " "
- Land & Timber same as last mile.

- East On a Random between Sec. 24. & 25.
40. 00 Set a temp. 1/4 Sec. Post.
80. 00 Intersect the East Boundary 44. links North of the Post Land & Timber same as last mile.

- West Corrected between Sec. 24. & 25.
40. 50 Set a 1/4 Sec post as mer. dists on the true line from which a Burr Oak 15. in. diam. bears S. 89. E. 60. links dists & a " " 14. " " " N. 64. W. 95. " "
80. 00 To Sec. Corner. Aug 9th 1829.

- North Between Sec. 23. & 24.
5. 76. A Hickory 14. in. diam.
40. 00 Set a 1/4 Sec post from which a W. Oak 24. in. diam. bears S. 14. E. 1. 31. links dists & a Hickory 7. " " " N. 62. E. 66. " "
55. 52. A Dr. 8. " "
80. 00 Set a Post Cor. to Sec. 13. 14. 23. & 24. from which a W. Oak 18. in. diam. bears S. 82. E. 16. links dists & a W. Oak 18. " " " N. 62. E. 57. " "
- Land, Rolling 1/2 rate. Timber. W. Y. & R. Oaks & Hickory.

Covered with Fern & Wild grass

East On a Random between Sec. 13. & 24.
 40. 00 Set a temp. $\frac{1}{4}$ Sec. post.
 81. 30. Intersect the East Boundary 118 links North of the Post.
 Land & Timber same as the last mile

West Connected between Sec. 13. & 24.
 40. 55. Set a gp. Sec. post at aver. dist. on the true line - from which a
 Burr. Oak 15. in. diam. bears N. 2 p. N. 20. links dist. and a
 Do Do. 15. " " " S. 14 $\frac{3}{4}$ E. 105. " "
 81. 30 To Sec. Corner.

North Between Sec. 13. & 14.
 20. 54. A Hickory 5. in. diam.
 40. 00 Set a $\frac{1}{4}$ Sec. post. from which a
 W. Oak 26. in. diam. bears S. 10. E. 42. links dist. & a
 W. Oak 14. " " " N. 45. W. 67. " "
 44. 74. A W. Oak 12. in. diam. is Meander Post on the South
 side of the Lake.

N. 12 E.	6. 50.	6. 39.	1. 35.	East.
N. 88. E.	10. 00	35.	9. 99.	
N. 41. E.	7. 50	5. 6. 6.	4. 92.	
N. 47. W.	4. 00	2. 73.	2. 93.	West.
N. 26. W.	10. 00	8. 99.	4. 38.	
N. 58. W.	3. 50.	1. 96.	2. 90.	
N. 64. W.	4. 00.	1. 75.	3. 60.	

16. 25
13. 81
2. 15.

$$44.74 + 27.83 = 72.57.$$

72. 57 Leave the Lake & set a Meander Post. from which a
 Y. Oak 8. in. diam. bears N. p. W. 27. links dist.
 80. 00 Come to the Lake. and set a Meander Post Cor. to Sec. 11. 12.
 13. 14. from which a W. Oak 18. in. diam. bears N. 61 p. E. 55.
 links dist. and a Y. Oak 15. in. diam. bears S. 82 p. W. 20. the dist.
 Land & Timber. same as last mile.

East On a Random between Sec. 12. & 13.

T. 38. N. R. 1. E. 1st Mer. Indiana.

40. 00 Set a temp. $\frac{1}{4}$ Sec. post.
 81. 79. Intersect the East Boundary 68. links North of the Post.
 Land &c. same as last mile.

West Corrected between Sec. 12 & 13.
 110. 89 $\frac{1}{2}$ Set a gp. Sec. post at aver. dist. on the true line from which
 a Hickory 6. in. diam. bears N. 35. E. 24. links dist. 8 &
 Do. 15. " " " 9. 70. E. 64. " "
 81. 79. To Sec. Corner.

North Between Sec. 11. & 12.

Ch. Sec. Lat. Dep.

N. 33. E. 4. 00. 3. 35. 2. 18. $\frac{3}{4}$ East 218.

N. 3. W. 7. 00. 6. 99. 0 37. }

N. 23 $\frac{1}{2}$ W. 2. 50. 2. 30. 98 } West 1. 35.

West 0. 83. 12 64. West 83.

12. 64. Leave the Lake and set Meander Post, from which a
 W. Oak 8. in. diam. bears East 83. links dist.

16. 98. A W. Oak 14. in. diam.

40. 00 Set a gp. Sec. post from which a
 W. Oak 18. in. diam. bears N. 60 $\frac{1}{2}$. E. 32. links dist. 8 &
 W. Oak 13. " " " 9. 33. E. 66. " "

45. 29 Intersect the State line 17. chains & 10. links East of
 the Lake in the " " Intersect the Lake West of
 St. Joseph & set a Post Cor. to Sec. 1. & 2. from which a
 W. Oak 24. in. diam. bears S. 7 $\frac{1}{2}$. E. 3. 17. links dist. 8 &
 W. Oak 18. " " " 9. 6 $\frac{1}{2}$. W. 3. 02. "

Land &c. same as last mile. Monday Aug. 12th 1829

North Between Sec. 34 & 35.

3. 50. Leave the Swamp—

19. 90 A W. Oak 16. in. diam.

40. 00 Set a gp. Sec. post from which a
 W. Oak 18. in. diam. bears S. 41 $\frac{1}{4}$. E. 19. links dist. 8 &
 W. Oak 12. " " " N. 23 $\frac{1}{2}$ W. 39. " "

53. 55. A W. Oak 20. in. diam.

80. 00 Set a Post Cor. to Sec. 26. 27. 34. & 35. from which a
 W. Oak 22 in. diam. bears N. 58. E. 144 links dist. & a
 W. Oak 34 " " " N. 17. W. 78 " "
 Land gently Rolling & 1st rate. Timber. W. R. Y. Oak & Maple.

East On a Random between Sec. 26. & 35.

8. 00 Enter met Prairie.

18. 00 Leave. " "

40. 00 Set temp. 1/4 Sec. post.

79. 92 Intersect the N. & E. line 51 links North of the Post.
 Land &c. same, as last mile.

West Corrected Between Sec. 26. & 35.

39. 96 Set a qp. Sec. post at over. dist. on the true line. from which a
 Hickory 5 in. diam. bears N. 77. E. 30 links dist. & a
 W. Oak 13. " " " N. 26 1/4. W. 98. " "

79. 92 To Sec. Corner.

North Between Sec. 26. & 27.

14. 19 A W. Oak 28 in. diam.

40. 00 Set a qp. Sec. post from which a
 Hickory 5 in. diam. bears S. 77. W. 384 links dist. & a
 D. 13. " " " North 9. 38. " "

49. 38 A Hickory 13 in. diam.

80. 00 Set a Post Cor. to Sec. 22. 23. 26. & 27. from which a
 Hickory 12 in. diam. bears S. 10. W. 145 links dist. & a
 W. Oak 24. " " " N. 62. W. 248. " "
 Land & Timber. same as last mile.

East On a Random between Sec. 23. & 26.

46. 00 Set a temp. qp. Sec. Post.

79. 73 Intersect the N. & E. line 104 links North of the Post.
 Land & Timber. same as last mile.

West Corrected between Sec. 23. & 26.

39. 86 Set a qp. Sec. post at over. dist. on true line. from which a

T 38. N. B. 1. E. 1st Mer. Ind.

Burr. Oak 15. in. diam. bears S 38. W. 16. links dist. & a
 Do Do 6. " " " N. 73 $\frac{3}{4}$. W. 90. " "
 79. 73. To Sec. Corner.

North Between Sec. 22. & 23. No Station
 40. 00 Set a $\frac{1}{4}$ Sec post from which a
 Burr Oak 11. in. diam. bears East 14 links dist. & a
 Do Do 6. " " " N. 86. W. 155. links dist.
 66. 11. A Hickory 16. " "
 80. 00 Set a Post Cor. to Sec. 14 15 22 & 23 from which on
 Do Oak 22. in. diam. bears S 52. W. 12. links dist. & a
 Hickory 5. " " " N. 6. W. 5. " "
 Land and Timber. same as last mile.

East On a Random between Sec. 14 & 23.
 40. 00 Set a temp. $\frac{1}{4}$ Sec post.
 54. 00 Came to Lake.
 63. 50 Grave. Do.
 80. 00 Intersect the N. & E. line at Post.
 Land &c. same as last mile.
 West 15. 50. To Lake & set a Meander Post. from which a
 Y Oak 10. in. diam. bears N. 41 $\frac{1}{2}$. E. 1. 28. links dist.
 26. 00 Leave the Lake & set a Post from which a
 W. Oak 18. in. diam. bears N. 85. W. 2. 15. links dist.

West Corrected Between Sec. 14 & 23.
 40. 00 Set a $\frac{1}{4}$ Sec. post on the true line. from which a
 W. Oak 16. in. diam. bears S 54. W. 27. links dist. & a
 W. Oak 16. " " " N. 14. E. 26. " "
 80. 00 To Sec. Corner. Aug 11th 1829.

North Between Sec. 14 & 15.
 No Station.
 40. 00 Set a $\frac{1}{4}$ Sec post from which a
 W. Oak 11. in. diam. bears S 36 $\frac{1}{2}$. W. 40. links dist. and a
 W. Oak 25. " " " N. 50 E. 15. " "

66. 41.	A W. Oak 12. in. diam.
80. 00	Set a Post Cor. to Sec. 10. 11. 14. 15. from which a Burn Oak 8. in. diam. bears N. 67 1/2. W. 7.5. links dist. 8. a " Do 8. " " " S. 20 1/2. W. 7.5. " " Land &c. same as last mile.
East	On a Random between Sec. 11. 14.
24. 13	To Lake.
40. 00	Set a temp. 1/4 Sec post in Lake.
79. 90	Intersect the N. & S. 2. links South of the Post. Land & Timber same as last mile.
West	Corrected between Sec. 11. 14.
39. 95.	Set a gp. Sec post in Lake.
55. 77.	Leave the Lake at a Red Oak 14. in. diam. for Meander Post.
79. 90	To Sec. Corner.
North	Between Sec. 10. 11.
19. 42.	Hickory 9. in. diam.
40. 00	Set a 1/4 Sec post from which a Hickory 22. in. diam. bears N. 3. E. 35. links dist. 8. a Do 8. " " " S. 71. E. 100. " " 44. 28. Intersect the State Line 7. 42. links East of the Post. a Hickory Station 6. in. diam. On the 2 1/2. mile (I believe) from Lake Michigan. and Set a Post Cor. to Sec. 10. 11. from which a W. Oak 24. in. diam. bears S. 16. W. 3. links dist. and a Bk. Ash 18. in. diam. bears S. 88 1/2. E. 17. " " Land &c. same as before.
North	Between Sec. 33. & 34.
37. 05.	A Brook. (Grape Vine) 18. links wide. Cor. S. E.
40. 00	Set a gp. Sec post. from which a Willow 6. in. diam. bears N. 18. W. 54. links dist. —
80. 00	Set a Post Cor. to Sec. 27. 28. 33. & 34. from which a W. Oak 9. in. diam. bears North 8. 20. links dist. — No other tree near Land 1 1/2. mile wet Prairie

T. 38. N. — R. 1. E. 2nd Mer. Ind.

East On a Random between Sec. 27. & 34.

37. 50. Leave met Prairie

40. 00 Set a temp^o of Sec. Post.

80. 20. Intersect the N. & E. line 63. links North of the Post.
Land, except the Prairie. Rolling rich Barrens.
Timber. W. Y. & R. Oak. & Hickory.

West Corrected between Sec. 27. & 34.

40. 10. Set a gp Sec post at aver. dist^y on the true line, from which
a W. Oak 18 in. diam. bears N. 81. E. 19. links dist^y and a
W. Oak 16. " " " S. 27 $\frac{1}{2}$. W. 21. " "

80. 20. To Sec. Corner.

North Between Sec. 27. & 28.

10. 00 Leave met Prairie.

23. 75. A Hickory 18 in. diam.

40. 00 Set a gp Sec post. from which a
Bk. Oak 30 in. diam. bears S. 85 $\frac{1}{2}$. E. 16. links dist^y & a
W. Oak 15. " " " N. 12 $\frac{3}{4}$. W. 29. " "

54. 35. A Hickory 10 in. diam.

80. 00 Set a Post Cor. to Sec. 27. 28. 21. & 22. from which a
W. Oak 22 in. diam. bears S. 85 $\frac{1}{2}$. W. 44. links dist^y & a
W. Oak 24 " " " N. 9 $\frac{1}{2}$. W. 45. " "
Land & Timber same as last mile.

East On a Random between Sec. 22. & 27.

40. 00 Set a temp^o of Sec. Post.

80. 50. Intersect the N. & E. line 9. links S. of the Post.
Land & Timber same as last mile.

West Corrected between Sec. 22. & 27.

40. 25. Set a gp Sec post at aver. dist^y from which a
W. Oak 24 in. diam. bears S. 57 $\frac{1}{2}$. E. 9. links dist^y and a
W. Oak 24 " " " N. 72 W. 30. " "

80. 50 To Sec. Corner.

North Between Sec. 21. & 22.
 24. 11 A W. Oak 20 in. diam.
 40. 00 Set a gp. Sec. post from which a
 W. Oak 20 in. diam. bears S. 47. W. 16 links dist. & a
 Y. Oak 13. " " " N. 56. W. 68. " "
 49. 90 A W. Oak 24 in. diam.
 80. 00 Set a Post Cor. to Sec. 15. 16. 21. & 22. from which a
 Red Oak 20 in. diam. bears S. 17. E. 72 links dist. & a
 W. Oak 25. " " " N. 85. W. 126. " "
 Land &c. same same as last mile.

East On a Random between Sec. 15. & 22.
 40. 00 Set a temp. $\frac{1}{4}$ Sec. post
 50. 40 Intersect the N. & S. line at the Post.
 Land & Timber same.

West Connected between Sec. 15. & 22.
 40. 20 Set gp. Sec. post at aver. dist. on the true line. from which
 Burr. Oak 25 in. diam. bears S. 11. W. 67 links dist. & a
 Do. Do. 5. " " " N. 48. E. 81. " "
 60. 40 Sec. Corner. Wednesday Aug. 12th. 1829.

North Between Sec. 15. & 16.
 30. 25 A Burr Oak 14 in. diam.
 40. 00 Set a gp. Sec. post. from which a
 Burr Oak 13 in. diam. bears N. 76. E. 26 links dist. & a
 Do. Do. 15. " " " S. 67. W. 40. " "
 57. 18 A W. Oak 15. " "
 80. 00 Set a Post Cor. to Sec. 9. 10. 15. 16. from which a
 Burr Oak 14 in. diam. bears N. 19. E. 35 links dist. & a
 Do. Do. 6. " " " N. 68. W. 67. " "
 Land &c. same as last mile.

East On a Random between Sec. 10 & 15.
 33. 87 Came to Lake.
 40. 00 Set a temp. $\frac{1}{4}$ Sec. post in Lake

T 38. N. B. 1. E. 2nd Mer. Indiana.

52.70. Leave Lake.

80.05. Intersect the N & S line 4 links South of the Post.
Land &c. same as last mile

West Corrected between Secs 10 & 15.

27.30. Come to Lake. & Set a Post from which a
Y Oak 10 in. diam. bears N. 57 $\frac{1}{2}$ E. 23 $\frac{1}{2}$ links dist. & a
W Oak 10 " " " S. 86 $\frac{1}{2}$ E. 33 $\frac{1}{2}$ " "40.02. Set 9 $\frac{1}{2}$ Sec. post in Lake.40.13. Leave the Lake and set a Meander Post from which a
Hickory 8 in. diam. bears N. 67 $\frac{1}{2}$ W. 14 links dist. and a
W Oak 14 " " " S. 16 $\frac{1}{2}$ W. 10 " "

80.05. To Sec. Corner

North Between Secs 9 & 10.

13.41. Chicago Road, Cor. S. W.

29.86. A W Oak 15 in. diam.

40.00. Set a $\frac{1}{4}$ Sec post from which a
Y Oak 5 in. diam. bears S. 12 $\frac{1}{2}$ E. 6 $\frac{1}{2}$ links dist. & a43.90. Intersect the State line 9.34 links West of a Y Oak
Station. 7 in. diam. from which a
Y Oak 14 " " bears S. 89 $\frac{1}{2}$ E. 50 links dist.
No other tree near.

North Between Secs 32 & 33.

22.50. A W Oak 12 in. diam.

40.00. Set a $\frac{1}{4}$ Sec post from which a
Maple 6 in. diam. bears N. 82 E. 11 links dist. & a
Do. 15 " " " S. 36 $\frac{1}{2}$ E. 26 " "

59.38. A Maple 10 in. diam.

62.50. Enter Dry Prairie.

80.00. Leave Prairie & Enter Island of Timber. Set a Post Cor.
to Secs 28, 29, 32 & 33. from which a

W Oak 10 in. diam. bears N. 80 E. 21 links dist. & a

Y Oak 8 " " " N. 22 W. 10 " "

Land level & Rich Timber. N. & S. Oak Hickory W. Ash Poplar &c.

East	On a Random between Sec. 28. & 33.
32. 00	Enter net Prairie.
40 00	Set a temp ^{ly} 1/4 Sec. post
55. 07.	A Brook 15. links wide. Crs. South.
80. 04.	Intersect the N. & S. line 4 links S. of the Post. Land level net Prairie.
West	Corrected between Sec. 28. & 33.
40. 02.	Set a 9 th Sec. post at aver. dist ^y on the true line, from which a Willow 20. in. diam. bears S. 88. W. 7. 90. links dist ^y .
80. 04.	To Sec. Corner.
North.	Between Sec. 28. & 29.
20. 07.	A W. Oak 16. in. diam.
21. 00	Enter net Prairie. & Grave Island of Timber.
40 00	Set 9 th Sec. post from which a W. Oak 22. in. diam. bears S. 4. E. 12. 1/2 links dist ^y .
69. 93	A Black Ash 13. in. diam.
80. 00	Set a Post Cor. to Sec. 20. 21. 28. & 29. from which a Black Ash 22. in. diam. bears S. 1. E. 9. 34. links dist ^y . No other tree near. Land level net Prairie.
East	On a Random between Sec. 21. & 28.
40. 00	Set a temp ^{ly} 1/4 Sec. post
46. 40	A Brook 8. links wide. Crs. South.
73. 00	Leave net Prairie
80. 02.	Intersect the N. & S. line 8. links N. of the Post. Land net Prairie
West	Corrected between Sec. 21. & 28.
46. 01.	Set a 9 th Sec. post at aver. dist ^y on the true line, and Raised a Mound.
81. 02	To Sec. Corner.
North	Between Sec. 20. & 21.

40. 00 Set a q^r Sec. post and raised a Mound.
 80. 00 Set a Post Cor. to Secs. 16. 17. 20. & 21. & Raised a Mound.
 Land wet Prairie.

East On a Random between Secs. 16. & 21.
 40. 00 Set a temp^y q^r Sec. Post.
 67. 00 Leave wet Prairie.
 80. 00 Intersect the East Boundary at the Post.
 Land chiefly wet Prairie.

West Corrected between Secs. 16. & 21.
 40. 00 Set a q^r Sec. post on the true line, and raised a Mound.
 80. 00 To Sec. Corner.

North Between Secs. 16. & 17.
 40. 00 Set a q^r Sec. post & raised a Mound.
 Enter Dry Prairie.
 70. 50 Chicago Road and Trail. Courses S. 67. W. & N. 67. E.
 80. 00 Set a Post Cor. to Secs. 8. 9. 16. & 17. & Raised a Mound
 in Prairie. Land on the East $\frac{1}{2}$ mile is wet
 Prairie. The North $\frac{1}{2}$ is dry & Rich.

East On a Random between Secs. 9. & 10.
 25. 50 Chicago Road & Trail.
 40. 00 Set a $\frac{1}{4}$ Sec. post. (Temp^y)
 64. 50 Leave Dry Prairie.
 80. 00 Intersect the N. & S. line at Post.
 Land rich dry Prairie.

West Corrected between Secs. 9. & 10.
 40. 00 Set q^r Sec. post at a ver. dist. on true line, from which a
 and Raised a Mound. in Prairie.
 80. 00 To Sec. Corner.

North Between Secs. 8. & 9.
 40. 00 Set q^r Sec. post and Raised a Mound.

43. 94 Intersect the State line on the 21st mile & raised. & Mound.
Land rich dry Prairie. Friday Aug. 14th 1829

North Between Sec^s 31. & 32.
40. 00 Set a gr. Sec. post in dry Prairie. from which a
Hickory 15. in. diam. bears S. 80. E. 690 links dist.
No other tree near.
80. 00 Set a Post Cor. to Sec^s 29. 30. 31. & 32. & Raised a Mound.
Land level as water ab. dry & rich
This Prairie is call'd Stone. Coupée.

East On a Random between Sec^s 29. & 32.
40. 00 Set a temp^y 1/4 Sec. post.
79. 88 Intersect the N. & S. line 6. links North of the Post.
Land dry & rich &c. as before.

West Corrected between Sec^s 29. & 32.
39. 94 Set a gr. Sec. post at aver. dist. on true line. in Mound.
79. 88 To Sec. Corner.

West On a Random between Sec^s 30. & 31.
40. 00 Set a temp^y gr. Sec. post.
78. 70 Intersect the West Boundary 60. links N. of the Post.

East Corrected between Sec^s 30 & 31.
38. 70 Set gr. Sec. post South on the true line, & raised a Mound.
78. 70 To Sec. Corner

North Between Sec^s 29. & 30.
40. 00 Set a gr. Sec. post and raised a Mound.
80. 00 Set a Post Cor. to Sec^s 19. 20. 29. & 30. and raised. a Mound.
Land rich dry level Prairie. as before.

East On a Random between Sec^s 20. & 29.
40. 00 Set temp^y gr. Sec. Post.
50. 00 Large dry Prairie.

79. 95. Intersect the N. & S. line 10 links North of the Post.
Land good Prairie. both dry & wet.

West Corrected between Sec. 20. & 29.

39. 97 $\frac{1}{2}$ Set a q^r Sec. post at aver. dist. on the true line. from which a
Bur Oak 18. in. diam. bears S. 75 $\frac{1}{2}$ E. — 5. 77. links dist.
No other tree near.

79. 95. To Sec. Corner.

West Between Sec. 19. & 30. On a Random

40. 00 Set a q^r Sec. post. (Temp.)

78. 02. Intersect the West Boundary. 98 links South of the Post.
Land rich. level. dry Prairie as before.

East Corrected between Sec. 19. & 30.

38. 02 Set a q^r Sec. post. on true line and raised a Mound.

78. 02. To Sec. Corner.

North Between Sec. 19. & 20.

40. 00 Set a q^r Sec. post and raised a Mound.

80. 00 Set a Post Cor. to Sec. 17. 18. 19. & 20. & raised a Mound.
Land as before.

East On a Random between Sec. 17. & 20.

40. 00 Set a temp^y $\frac{1}{4}$ Sec. Post.

79. 98. Intersect the N. & S. line 10 links S. of the Post.
Land as before.

West Corrected between Sec. 17. & 20.

39. 99 Set a q^r Sec. post at aver. dist. on the true line. and
Raised a Mound.

79. 98. To Sec. Corner.

West On a Random between Sec. 18. & 19

27. 00 To Chicago Road. Cor. S. 41. 70.

40. 00 Set a temp^y $\frac{1}{4}$ Sec. post.

78. 00 Intersect the West Boundary 1.08. links North of the Post.
Land. &c. same as before.

East Corrected between Sec. 18. & 19.

38. 00 Set a gp. Sec. post on the true line. and raised a Mound.

78. 00 To Sec. Corner.

North Between Sec. 18. & 17.

20. 34 To Chicago Road. Co. S. W.

40. 00 Set a gp. Sec. post and raised a Mound.

05. 00 Enter wet Prairie.

80. 00 Set a Post Cor. to Sec. 7. 8. 17. & 18. from which a
Bur Oak 12 in. diam. bears North 31. 84. links dist.
No other tree near. Land &c. same.

East On a Random between Sec. 8. & 17.

5. 00 Leave net & Enter dry Prairie

40. 00 Set a temp. gp. Sec. Post.

80. 08 Intersect the N. & S. line. 15. links North of the Post.
Land Prairie.

West Corrected between Sec. 8. & 17.

40. 04 Set a gp. Sec. post on the true line. from which a
and raised a Mound.

50. 08 To Sec. Corner.

West Between Sec. 7. & 18.

3. 00 Enter dry Prairie & Leave the Prairie.

22. 00 Leave dry " & Enter Barrens.

39. 00 Enter heavy Timbered Land.

40. 00 Set a 1/4 Sec. post from which a

Burr Oak 30. in. diam. bears N. 82. E. 6. links dist.

07. 02 A Buck 14 " "

77. 90 Intersect West Boundary 1.96. links North of the Post.

Set a Post Cor. to Sec. 7. & 18. from which a

Poplar 14. in. diam. bears S. 79. E. 10. links dist. and a

T. & S. A. B. & E. 2nd Mer. Ind.

Black 18. in. diam. bears N. 14. E. 17. links dist.
 Sand &c. as before. 1st rate soil.

North Between Sec. 7. & 8.
 27. 00 Leave met Prairie & Enter Barrens.
 40. 00 Set a gp. Sec. post from which a
 W. Ash 6. in. diam. bears S. 15. E. 36. links dist. and a
 S. Oak 10. " " S. 33. W. 30. " "
 41. 50. Intersect the State line. At 16. links West of a Burr Oak station
 10 in. diam. - Set a Post Cor. to Sec.
 Red Oak 7. in. diam. bears S. 1. W. 54. links dist. & a
 Maple 24. " " S. 76. E. 26. " "
 Sand good. &c.

Meanders of a Lake in Sec. 25. & 26.

Commencing at the South Meander Post. in Sec. 26. Thence

N. 79. W. 7. 00
 N. 24. E. 16. 50. To Meander Post.

S. 88. E. 4. 00. In Sec. 25.
 S. 15. E. 9. 50.
 S. 42. W. 9. 74. To Place of Beginning.

Meanders of a Lake in Sec. 35. & 36.

Beginning at South Meander Post. Thence in Sec. 35.

N. 62. W. 9. 00
 N. 32. W. 14. 00
 N. 45. W. 4. 00
 N. 24. W. 5. 00
 N. 45. E. 2. 50
 N. 23. E. 12. 00
 N. 58. E. 2. 50
 N. 46. E. 7. 00
 S. 83. E. 2. 00
 S. 11. E. 8. 50
 N. 57. E. 1. 25. To the North Meander Post.

N. 23 E.	14.00.	In Sec 6.
N. 58 E.	8.00	
S. 53 E.	2.50.	
S. 3 1/2 W.	7.50.	
S. 50 1/2 W.	6.00	
S. 20 1/4 W.	12.50.	
S. 12 1/4 W.	5.50	
S. 41 1/2 E.	9.00	
S. 11 1/2 E.	10.00	
S. 10 1/2 E.	15.00	
S. 63 W.	1.00.	To an Outset 20 links wide. Cont. S. Aug. 9 th 1829.
S. 75 1/4 W.	5.00	
N. 71 W.	4.00	
N. 31 W.	8.00	
N. 38 1/2 W.	3.34.	To place of Beginning.

Meanders of a Lake in Sec. 13 & 14.
Beginning at South Meander Post. Thence in Sec 13.

N. 12 E.	6.50.	
N. 88 E.	10.00.	
N. 41 E.	7.50.	
N. 47 W.	4.00	
N. 26 W.	10.00.	
N. 56 W.	3.50.	
N. 64 W.	4.00	
N. 56	2.45.	To Meander Post. — Thence in Sec 14.

S. 31 3/4 W.	5.50.
S. 31 E.	5.00
S. 37 W.	3.00
S. 58 W.	4.50.
S. 9 W.	4.00
S. 24 1/2 E.	4.50.
S. 45 W.	11.50
S. 56 E.	4.50.
N. 86 E.	5.50.

N. 33. E. 5. 00

N. 52. E. 1. 34. To Place of Beginning.

Meanders of a Lake in Sec. 14. 8 23.

Beginning at West Meander Post. Thence in Sec. 14.

N. 31 1/2 W. 8. 00.

N. 30. E. 11. 50.

S. 54. E. 9. 50.

S. 6 1/2 W. 9. 00.

S. 39. E. 3. 14. To East Meander Post.

S. 5. W. 3. 50.

S. 21. W. 9. 00.

S. 74 1/2 W. 7. 50.

N. 3 1/2 E. 13. 09. To Place of Beginning.

Meanders of a Lake in Sec. 11. 12. 14.

Beginning at the West Meander Post.
Thence in Sec. 14.

S. 87 1/2 E. 6. 00

S. 31 1/2 E. 1. 50.

S. 22 1/2 W. 2. 50.

S. 67. W. 2. 00.

S. 57. W. 7. 00

N. 37. W. 8. 00

S. 70 1/2 W. 4. 50.

S. 21. W. 4. 50.

S. 64 1/2 E. 7. 50.

S. 17. E. 9. 50.

S. 49. E. 6. 50.

N. 24. E. 13. 50.

N. 78 1/2 E. 7. 50.

N. 17. E. 9. 00

S. 68. E. 7. 50.

South 9. 50.

S. 85. W. 7. 00

S. 25. E. 10. 00

N. 77. E. 9. 50.

N. 22. W. 6. 50.

N. 1. W. 4. 50.

N. 39 1/2 E. 4. 50.

N. 83. E. 1. 00

N. 41 E. 3. 50.

N. 85. E. 2. 50.

S. 37 1/2 E. 4. 00

S. 59. E. 4. 50.

N. 50. E. 5. 00

N. 57 1/2 W. 3. 50

N. 69 1/2 E. 6. 48. To the East Meander + Sec. Post.

N. 33. E. 4. 00 In Sec. 12.

N. 3. W. 7. 00

N. 23 1/2 W. 2. 50

West 0. 83. To Meander Post Between Sec. 11. & 12.

North 4. 00 In Sec. 11.

N. 62. W. 3. 50.

N. 39 W. 4. 00

N. 58 1/2 W. 9. 50.

S. 37 1/2 W. 3. 00

S. 57 1/2 E. 10. 00

S. 73. W. 3. 00

N. 86. W. 3. 50.

S. 73 1/2 W. 6. 50

N. 31 1/2 W. 5. 00

S. 58. W. 9. 00

N. 57 1/2 W. 6. 00

S. 81 1/2 W. 4. 00

N. 60 W. 5. 00

S. 57 1/2 W. 3. 50

S. 15 1/2 E. 4. 50

S. 30. E. 5. 00

S. 15 3/4 W. 5. 05 To place of Beginning

Meanders of a Lake in Sec. 20.

Beginning at the Cor. of Secs. 23. 24. 25. & 20.

Thence in Sec. 20

S. 75. W. 15. 00 To Lake.

S. 27 1/2 E. 11. 50.

S. 4 1/2 E. 6. 50.

S. 21 3/4 W. 0. 00

N. 53. W. 4. 50.

N. 51 1/2 W. 19. 00

N. 23. E. 0. 00

S. 75 1/2 E. 5. 00

S. 88. E. 2. 70 To place of Beginning

Meanders of a Lake on the State line in Sec. 11.

Beginning at the East Meander Post.

S. 2. E. 0. 50.

S. 18. W. 8. 50.

S. 62 1/2 W. 14. 00

S. 29. W. 6. 50.

N. 71. W. 3. 50.

N. 66. W. 5. 00

N. 23 1/2 W. 9. 00

N. 53. E. 7. 00

N. 5. E. 2. 50.

N. 18. W. 5. 50

N. 57 1/2 E. 4. 50.

N. 38 3/4 E. 2. 09 To the West Meander Post on the State line.

Meanders of a Lake in Secs. 10 & 15.

Beginning at the West Meander Post.

Thence in Sec. 15.

S. 1 1/2 W. 7. 00

S. 57 1/2 E. 2. 00.

T. 38. N. 2. R. 1. E. 2nd Mer. Ind. 399

S. 41. E. 7.50.

S. 7 1/2 E. 2.00

N. 88. E. 5.00

N. 25 1/2 E. 5.00

N. 59 1/2 E. 9.50

N. 8. E. 2.50.

N. 81. W. 5.50

N. 42. W. 1.50 To East Meander Post. thence in Sec. 10.

N. 37 1/2 W. 4.00

N. 80 1/2 W. 13.00

S. 59. W. 4.00

South 1. 91. To the place of Beginning.

Pursuant to a Contract dated the 6th of May 18.29. and Instructions from Edward Tiffin. Surveyor General of the United States. I have surveyed & subdivided into Sec. the foregoing Township. in the State of Indiana described in said Contract. and I Certify that the foregoing, are the correct and true field Notes of the said Survey of the lines. which they purport to be. as part of the said Contract. Certified this 22^d day of Oct 18.29.

William Brookfield
Dep^y Surveyor.

I certify that the foregoing transcript of Field Notes of the survey of Township N. 38 North, in Range N. 1 East of the 2^d. Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, January 5, 1843 }

William Johnston
Sur. Genl.